

兔抗 ZFP42 多克隆抗体

- 中文名称: 兔抗 ZFP42 多克隆抗体
- 英文名称: Anti-ZFP42 rabbit polyclonal antibody
- 别 名: REX1; ZNF754
- 相关类别: 一抗
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 抗 原: ZFP42
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

| | Rex-1 (for reduced expression), also designated zinc fi nger protein 42 (ZFP42), is an acidic zinc finger protei n. Rex-1 contains four repeats of the zinc finger nucle ic acid-binding motif and a potential acidic activator |
|-------------|--|
| Background: | domain, suggesting that it is a regulatory protein. Rex -1 localizes to the nucleus and is highly expressed in |
| Backyrounu. | embryonic stem (ES) and undifferentiated murine F9 t |
| | eratocarcinoma cells. At the transcriptional level, expre |
| | ssion of Rex-1 is reduced when F9 cells are induced t |
| | o differentiate by the addition of retinoic acid (RA), a |
| | nd Rex-1 repression is enhanced by E1A. The Oct-3/4 |



| | transcription factor can either activate or repress the Rex-1 promoter, depending on the cellular environme nt, while Oct-6 can lower the expression of Rex-1. |
|-----------------------------|--|
| Applications: | ELISA, WB |
| Name of antibody: | ZFP42 |
| Immunogen: | Synthetic peptide of human ZFP42 |
| Full name: | ZFP42 zinc finger protein |
| Synonyms : | REX1; ZNF754 |
| SwissProt: | Q96MM3 |
| ELISA Recommended dilution: | 1000-2000 |
| WB Predicted band size: | 35 kDa |
| WB Positive control: | A549, K562 and PC3 cells |
| WB Recommended dilution: | 200-1000 |

