

兔抗 KLRC2 多克隆抗体

中文名称：兔抗 KLRC2 多克隆抗体

英文名称：Anti-KLRC2 rabbit polyclonal antibody

别名：NKG2C; CD159c; NKG2-C

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：KLRC2

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

Natural killer (NK) cells are lymphocytes that can mediate lysis of certain tumor cells and virus-infected cells without previous activation. They can also regulate specific humoral and cell-mediated immunity. NK cells preferentially express several calcium-dependent (C-type) lectins, which have been implicated in the regulation of NK cell function. The group, designated KLRC (NKG2) are expressed primarily in natural killer (NK) cells and encodes a family of transmembrane proteins characterized by a type II membrane orientation (extracellular C terminus) and the presence of a C-t

| | |
|------------------------------------|---|
| | ype lectin domain. |
| Applications: | ELISA, WB |
| Name of antibody: | KLRC2 |
| Immunogen: | Synthetic peptide of human KLRC2 |
| Full name: | killer cell lectin-like receptor subfamily C, member 2 |
| Synonyms : | NKG2C; CD159c; NKG2-C |
| SwissProt: | P26717 |
| ELISA Recommended dilution: | 5000-10000 |
| WB Predicted band size: | 26 kDa |
| WB Positive control: | 293T , Hela , A431 , Hepg2 , MCF-7 , Jurkat and K562 cell |
| WB Recommended dilution: | 200-1000 |

