

兔抗 KLRC3 多克隆抗体

中文名称: 兔抗 KLRC3 多克隆抗体

英文名称: Anti-KLRC3 rabbit polyclonal antibody

别 名: NKG2E; NKG2-E

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: KLRC3

反应种属: Human

标 记 物: Unconjugate

克隆类型: Unconjugate

技术规格

Background:

Natural killer (NK) cells are lymphocytes that can mediate lysis of certain tumor cells and virus-infected cells without previous activation. They can also regulate specific humor al and cell-mediated immunity. NK cells preferentially expr ess several calcium-dependent (C-type) lectins, which have been implicated in the regulation of NK cell function. KLR C3 is a member of the NKG2 group which are expressed primarily in natural killer (NK) cells and encodes a family of transmembrane proteins characterized by a type II me



	mbrane orientation (extracellular C terminus) and the pres ence of a C-type lectin domain. The NKG2 gene family is located within the NK complex, a region that contains sev eral C-type lectin genes preferentially expressed on NK ce lls. Alternative splicing results in multiple transcript variant s encoding different isoforms.
Applications:	ELISA, IHC
Name of antibody:	KLRC3
Immunogen:	Synthetic peptide of human KLRC3
Full name:	killer cell lectin-like receptor subfamily C, member 3
Synonyms :	NKG2E; NKG2-E
SwissProt:	Q07444
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil and human cervical cancer
IHC Recommend dilution:	25-100





