

兔抗 PPARG 多克隆抗体

- 中文名称：兔抗 PPARG 多克隆抗体
- 英文名称：Anti-PPARG rabbit polyclonal antibody
- 别名：GLM1; CIMT1; NR1C3; PPARG1; PPARG2; PPARgamma
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：PPARG
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:

This gene encodes a member of the peroxisome proliferator-activated receptor (PPAR) subfamily of nuclear receptors. PPARs form heterodimers with retinoid X receptors (RXRs) and these heterodimers regulate transcription of various genes. Three subtypes of PPARs are known: PPAR-alpha, PPAR-delta, and PPAR-gamma. The protein encoded by this gene is PPAR-gamma and is a regulator of adipocyte differentiation. Additionally, PPAR-gamma has been implicated in the pathology of numerous diseases including obesity, diabetes, atherosclerosis and cancer. Alternatively spliced transcript variants that en

	code different isoforms have been described.
Applications:	ELISA, WB, IHC
Name of antibody:	PPARG
Immunogen:	Synthetic peptide of human PPARG
Full name:	peroxisome proliferator activated receptor gamma
Synonyms:	GLM1; CIMT1; NR1C3; PPARG1; PPARG2; PPARgamma
SwissProt:	P37231
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and human breast cancer
IHC Recommend dilution:	20-100



