

兔抗 ZNF85 多克隆抗体

中文名称: 兔抗 ZNF85 多克隆抗体

英文名称: Anti-ZNF85 rabbit polyclonal antibody

别 名: zinc finger protein 85; HPF4; HTF1

储 存: 冷冻(-20℃)

抗 原: ZNF85

宿 主: Rabbit

反应种属: Human

相关类别: 一抗

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

Zinc-finger proteins contain DNA-binding domains and have a wide variety of functions, most of which encom pass some form of transcriptional activation or repressi on. The majority of zinc-finger proteins contain a Krüp pel-type DNA binding domain and a KRAB domain, wh ich is thought to interact with KAP1, thereby recruiting histone modifying proteins. ZNF85 (Zinc finger protein 85), also known as zinc finger protein HPF4 or HTF1, is a member of the ZNF91 family and is thought to be i nvolved in transcriptional regulation. ZNF85 is highly ex pressed in testicular tissue and localizes to the nucleus.



	ZNF85 contains sixteen C2H2-type zinc fingers and one KRAB domain through which it is thought to be involved in DNA-binding and transcriptional regulation.
Applications:	ELISA, WB, IHC
Name of antibody:	ZNF85
Immunogen:	Synthetic peptide of human ZNF85
Full name:	zinc finger protein 85
Synonyms:	HPF4; HTF1
SwissProt:	Q03923
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer
IHC Recommend dilution:	20-100
WB Predicted band size:	69 kDa
WB Positive control:	Raji and PC3 cell lysates
WB Recommended dilution:	500-2000





