

兔抗 ZNF207 多克隆抗体

中文名称：兔抗 ZNF207 多克隆抗体

英文名称：Anti-ZNF207 rabbit polyclonal antibody

别名：BuGZ; hBuGZ

相关类别：一抗

储存：冷冻（-20℃）

抗原：ZNF207

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

Zinc-finger proteins contain DNA-binding domains and have a wide variety of functions, most of which encompass some form of transcriptional activation or repression. The majority of zinc-finger proteins contain a Krüppel-type DNA binding domain and a KRAB domain, which is thought to interact with KAP1, thereby recruiting histone modifying proteins. ZNF207 (zinc finger protein 207) is a 478 amino acid protein that localizes to the nucleus and contains two C2H2-type zinc fingers. Expressed ubiquitously, ZNF207 may function as a transcription factor. Three isoforms of ZNF207 are expressed due to alternative splicing.

	cing events.
Applications:	ELISA, WB, IHC
Name of antibody:	ZNF207
Immunogen:	Fusion protein of human ZNF207
Full name:	zinc finger protein 207
Synonyms:	BuGZ; hBuGZ
SwissProt:	O43670
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	51 kDa
WB Positive control:	HEPG2 and Hela cell lysates
WB Recommended dilution:	500-2000



