

兔抗 TRIM22 多克隆抗体

中文名称: 兔抗 TRIM22 多克隆抗体

英文名称: Anti-TRIM22 rabbit polyclonal antibody

别名: RNF94; STAF50; GPSTAF50

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: TRIM22

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| | |
|----------------------|---|
| Background: | The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. This protein localizes to the cytoplasm and its expression is induced by interferon. The protein down-regulates transcription from the HIV-1 LTR promoter region, suggesting that function of this protein may be to mediate interferon's antiviral effects. |
| Applications: | ELISA, WB, IHC |

| | |
|------------------------------------|-----------------------------------|
| Name of antibody: | TRIM22 |
| Immunogen: | Synthetic peptide of human TRIM22 |
| Full name: | tripartite motif containing 22 |
| Synonyms : | RNF94; STAF50; GPSTAF50 |
| SwissProt: | Q8IYM9 |
| ELISA Recommended dilution: | 1000-2000 |
| IHC positive control: | Human ovarian cancer |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 57 kDa |
| WB Positive control: | A172 cells |
| WB Recommended dilution: | 200-1000 |



