

兔抗 SOCS3 多克隆抗体

中文名称：兔抗 SOCS3 多克隆抗体

英文名称： Anti-SOCS3 rabbit polyclonal antibody

别名： CIS3, SSI3, ATOD4, Cish3, SSI-3, SOCS-3

储存： 冷冻（-20℃）

抗原： SOCS3

宿主： Rabbit

相关类别： 一抗

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:

This gene encodes a member of the STAT-induced S TAT inhibitor (SSI), also known as suppressor of cytokine signaling (SOCS), family. SSI family members are cytokine-inducible negative regulators of cytokine signaling. The expression of this gene is induced by various cytokines, including IL6, IL10, and interferon (IFN)-gamma. The protein encoded by this gene can bind to JAK2 kinase, and inhibit the activity of JAK2 kinase. Studies of the mouse counterpart of this gene suggested the roles of this gene in the negative regulation of fetal liver hematopoiesis, and placental development.

	opment.
Applications:	ELISA, WB, IHC
Name of antibody:	SOCS3
Immunogen:	Fusion protein of human SOCS3
Full name:	suppressor of cytokine signaling 3
Synonyms :	CIS3, SSI3, ATOD4, Cish3, SSI-3, SOCS-3
SwissProt:	O14543
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human liver cancer and human lung cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	25 kDa
WB Positive control:	Mouse heart tissue
WB Recommended dilution:	500-2000



