

兔抗 LDHC 多克隆抗体

- 中文名称：兔抗 LDHC 多克隆抗体
- 英文名称：Anti-LDHC rabbit polyclonal antibody
- 别名：CT32; LDH3; LDHX
- 抗原：LDHC
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 相关类别：一抗
- 反应种属：Human
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	Lactate dehydrogenase C catalyzes the conversion of L-lactate and NAD to pyruvate and NADH in the final step of anaerobic glycolysis. LDHC is testis-specific and belongs to the lactate dehydrogenase family. Two transcript variants have been detected which differ in the 5' untranslated region.
Applications:	ELISA, WB, IHC

Name of antibody:	LDHC
Immunogen:	Fusion protein of human LDHC
Full name:	lactate dehydrogenase C
Synonyms:	CT32; LDH3; LDHX
SwissProt:	P07864
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil
IHC Recommend dilution:	20-100
WB Predicted band size:	36 kDa
WB Positive control:	Mouse testis tissue,Human testis tissue,293T cell,Human bladder transitional cell carcinoma grade 2-3 tissue,Human fetal liver tissue,A549 cell lysates
WB Recommended dilution:	200-1000

