

兔抗 LILRB5 多克隆抗体

- 中文名称：兔抗 LILRB5 多克隆抗体
- 英文名称：Anti-LILRB5 rabbit polyclonal antibody
- 别名：LIR8; CD85C; LIR-8
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：LILRB5
- 反应种属：Human
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	This gene is a member of the leukocyte immunoglobulin-like receptor (LIR) family, which is found in a gene cluster at chromosomal region 19q13.4. The encoded protein belongs to the subfamily B class of LIR receptors which contain two or four extracellular immunoglobulin domains, a transmembrane domain, and two to four cytoplasmic immunoreceptor tyrosine-based inhibitory motifs (ITIMs). Several other LIR subfamily B receptors are expressed on immune cells where they bind to MHC class I molecules on antigen-presenting cells and inhibit stimulation of an immune response. Multiple transcript variants encoding different isoforms have been found
--------------------	---

	for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	LILRB5
Immunogen:	Synthetic peptide of human LILRB5
Full name:	leukocyte immunoglobulin-like receptor, subfamily B (with T M and ITIM domains), member 5
Synonyms:	LIR8; CD85C; LIR-8
SwissProt:	O75023
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer
IHC Recommend dilution:	10-50
WB Predicted band size:	64 kDa
WB Positive control:	HepG2 cell lysate
WB Recommended dilution:	500-2000



