

小鼠抗 ATP6V0D2 单克隆抗体

中文名称：小鼠抗 ATP6V0D2 单克隆抗体

英文名称：Anti-ATP6V0D2 mouse monoclonal antibody

别名：ATPase H⁺ transporting V0 subunit d2; VMA6; ATP6D2

相关类别：一抗

储存：冷冻（-20℃）

宿主：Mouse

抗原：ATP6V0D2

反应种属：Human

标记物：Unconjugate

克隆类型：mouse monoclonal

技术规格

Background:	Subunit of the integral membrane V0 complex of vacuolar ATPase. Vacuolar ATPase is responsible for acidifying a variety of intracellular compartments in eukaryotic cells, thus providing most of the energy required for transport processes in the vacuolar system. May play a role in coupling of proton transport and ATP hydrolysis (By similarity).
Applications:	WB, IHC
Name of antibody:	ATP6V0D2
Immunogen:	Fusion protein of human ATP6V0D2
Full name:	ATPase H ⁺ transporting V0 subunit d2
Synonyms:	VMA6; ATP6D2
SwissProt:	Q8N8Y2
IHC positive control:	Human pancreas tissue and Human kidney tissue



IHC Recommend dilution:	500-2000
WB Predicted band size:	40 KD
WB Positive control:	HepG2 cell lysate
WB Recommended dilution:	500-2000