

兔抗 STARD5 多克隆抗体

中文名称：兔抗 STARD5 多克隆抗体

英文名称：Anti-STARD5 rabbit polyclonal antibody

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：STARD5

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Cholesterol homeostasis is regulated, at least in part, by sterol regulatory element (SRE)-binding proteins (e.g., SREBP1; MIM 184756) and by liver X receptors (e.g., LXRA; MIM 602423). Upon sterol depletion, LXRs are inactive and SREBPs are cleaved, after which they bind promoter SREs and activate genes involved in cholesterol biosynthesis and uptake.
Applications:	ELISA, WB, IHC
Name of antibody:	STARD5
Immunogen:	Synthetic peptide of human STARD5
Full name:	StAR-related lipid transfer (START) domain containing 5

SwissProt:	Q9NSY2
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human breast cancer
IHC Recommend dilution:	40-150
WB Predicted band size:	24 kDa
WB Positive control:	Human fetal brain tissue
WB Recommended dilution:	500-2000



