

兔抗 STAU2 多克隆抗体

- 中文名称：兔抗 STAU2 多克隆抗体
- 英文名称：Anti-STAU2 rabbit polyclonal antibody
- 别名：stau2 double-stranded RNA binding protein 2; 39K2; 39K3
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：STAU2
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:

Staufen homolog 2 is a member of the family of double-stranded RNA (dsRNA)-binding proteins involved in the transport and/or localization of mRNA to different subcellular compartments and/or organelles. These proteins are characterized by the presence of multiple dsRNA-binding domains which are required to bind RNAs having double-stranded secondary structures. Staufen homolog 2 shares 48.5% and 59.9% similarity with drosophila and human staufen, respectively. The exact function of Staufen homolog 2 is not known, but since it contains

| | |
|------------------------------------|--|
| | 3 copies of conserved dsRNA binding domain, it could be involved in double-stranded RNA binding events. Several transcript variants encoding different isoforms have been found for this gene. |
| Applications: | ELISA, IHC |
| Name of antibody: | STAU2 |
| Immunogen: | Fusion protein of human STAU2 |
| Full name: | staufen double-stranded RNA binding protein 2 |
| Synonyms: | 39K2; 39K3 |
| SwissProt: | Q9NUL3 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human cervical cancer and Human thyroid cancer |
| IHC Recommend dilution: | 40-200 |



