

小鼠抗 CHD3(C-term)单克隆抗体

中文名称： 小鼠抗 CHD3(C-term)单克隆抗体

英文名称： Anti-CHD3(C-term) mouse monoclonal antibody

别名： chromodomain helicase DNA binding protein 3; ZFH; Mi-2a; Mi2-ALPHA

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Mouse

抗原： CHD3(C-term)

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： Mouse Monoclonal

技术规格

Background:

This gene encodes a member of the CHD family of proteins which are characterized by the presence of chromo (chromatin organization modifier) domains and SNF2-related helicase/ATPase domains. This protein is one of the components of a histone deacetylase complex referred to as the Mi-2/NuRD complex which participates in the remodeling of chromatin by deacetylating histones. Chromatin remodeling is essential for many processes including transcription. Autoantibodies against this protein are found in a subset of patients with dermatomyositis. Three alternatively spliced transcripts encoding different isoform

	s have been described.
Applications:	WB, IF, IP
Name of antibody:	CHD3(C-term)
Immunogen:	Fusion protein of human CHD3
Full name:	chromodomain helicase DNA binding protein 3
Synonyms:	ZFH; Mi-2a; Mi2-ALPHA
SwissProt:	Q12873
WB Predicted band size:	227 kDa
WB Positive control:	NTERA2, 3T3, C6, K562 and HeLa cell lysates
WB Recommended dilution:	1000-5000
IF positive control:	HeLa cells
IF Recommend dilution:	200-400





