

## 兔抗 STMN1 (Phospho-Ser38)多克隆抗体

中文名称：兔抗 STMN1 (Phospho-Ser38)多克隆抗体

英文名称：Anti-STMN1 (Phospho-Ser38) rabbit polyclonal antibody

别名：Lag; SMN; OP18; PP17; PP19; PR22; LAP18; C1orf215

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：STMN1 (Phospho-Ser38)

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	Involved in the regulation of the microtubule (MT) filament system by destabilizing microtubules. Prevents assembly and promotes disassembly of microtubules. Phosphorylation at Ser-16 may be required for axon formation during neurogenesis. Involved in the control of the learned and innate fear
<b>Applications:</b>	WB, IHC
<b>Name of antibody:</b>	STMN1 (Phospho-Ser38)
<b>Immunogen:</b>	Synthetic peptide of human STMN1 (Phospho-Ser38)
<b>Full name:</b>	stathmin 1 (Phospho-Ser38)
<b>Synonyms :</b>	Lag; SMN; OP18; PP17; PP19; PR22; LAP18; C1orf215

<b>SwissProt:</b>	P16949
<b>IHC positive control:</b>	Human breast carcinoma
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	17 kDa
<b>WB Positive control:</b>	K562 cells treated with serum starvation
<b>WB Recommended dilution:</b>	500-1000



