

## 兔抗 STRADB 多克隆抗体

中文名称：兔抗 STRADB 多克隆抗体

英文名称： Anti-STRADB rabbit polyclonal antibody

别名： PAK; ILPIP; ILPIPA; ALS2CR2; CALS-21; PRO1038

相关类别： 一抗

储存： 冷冻 (-20℃)

抗原： STRADB

宿主： Rabbit

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

**Background:**

This gene encodes a protein that belongs to the serine/threonine protein kinase STE20 subfamily. One of the active site residues in the protein kinase domain of this protein is altered, and it is thus a pseudokinase. This protein is a component of a complex involved in the activation of serine/threonine kinase 11, a master kinase that regulates cell polarity and energy-generating metabolism. This complex regulates the relocation of this kinase from the nucleus to the cytoplasm, and it is essential for G1 cell cycle arrest mediated by this kinase. The protein encoded by this gene can also int

	eract with the X chromosome-linked inhibitor of apoptosis protein, and this interaction enhances the anti-apoptotic activity of this protein via the JNK1 signal transduction pathway. Two pseudogenes, located on chromosomes 1 and 7, have been found for this gene. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	STRADB
<b>Immunogen:</b>	Fusion protein of human STRADB
<b>Full name:</b>	STE20-related kinase adaptor beta
<b>Synonyms :</b>	PAPK; ILPIP; ILPIPA; ALS2CR2; CALS-21; PRO1038
<b>SwissProt:</b>	Q9C0K7
<b>ELISA Recommended dilution:</b>	2000-5000
<b>IHC positive control:</b>	Human lymphoma and Human thyroid cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	47 kDa; 31 kDa
<b>WB Positive control:</b>	Mouse pancreas and spleen tissue, mouse heart tissue and 293T cells
<b>WB Recommended dilution:</b>	200-1000

