

兔抗 LRRC19 多克隆抗体

- 中文名称：兔抗 LRRC19 多克隆抗体
- 英文名称：Anti-LRRC19 rabbit polyclonal antibody
- 相关类别：一抗
- 储 存：冷冻（-20℃）
- 宿 主：Rabbit
- 抗 原：LRRC19
- 反应种属：Human, Mouse
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	LRRC19 is a member of the extracellular leucine-rich repeat superfamily, a family of proteins that are thought to have diverse functions such as cell adhesion, signaling, and innate immunity. LRRC19 is closely related to the Toll-like receptors (TLRs), especially TLR3. LRRC19 does not contain a cytoplasmic Toll/IL-1 receptor (TIR) domain, but can activate NF- κ B and induce the production of proinflammatory cytokines after stimulation with the TLR3 and other TLR ligands, suggesting that LRRC19 may play a role in the recognition and the response to certain pathogenic microorganisms. LRRC19 has also been suggested to be a potential biomarker for pancreatic tumor sensitivity to the anti-cancer, small
--------------------	---

	molecule Src inhibitor AZD0530.
Applications:	ELISA, WB, IHC
Name of antibody:	LRRC19
Immunogen:	Fusion protein of human LRRC19
Full name:	leucine rich repeat containing 19
SwissProt:	Q9H756
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer and Human colorectal cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	42 kDa
WB Positive control:	A172 cell and mouse kidney tissue
WB Recommended dilution:	500-2000



