

小鼠抗 IL36G 单克隆抗体

- 中文名称: 小鼠抗 IL36G 单克隆抗体
- 英文名称: Anti-IL36G mouse monoclonal antibody
- 别 名: IL1E; IL1F9; IL1H1; IL-1F9; IL-1H1; IL1RP2; IL-1RP2
- 抗 原: IL36G
- 储 存:冷冻(-20℃) 避光
- 宿 主: Mouse
- 反应种属: Human
- 相关类别: 一抗
- 标记物: Unconjugate
- 克隆类型: mouse monoclonal

技术规格

	The protein encoded by this gene is a member of th e interleukin 1 cytokine family. The activity of this cyt
	okine is mediated by interleukin 1 receptor-like 2 (IL1
	RL2/IL1R-rp2), and is specifically inhibited by interleuk
	in 1 family, member 5 (IL1F5/IL-1 delta). Interferon-ga
Background:	mma, tumor necrosis factor-alpha and interleukin 1, b
	eta (IL1B) are reported to stimulate the expression of
	this cytokine in keratinocytes. The expression of this c
	ytokine in keratinocytes can also be induced by a co
	ntact hypersensitivity reaction or herpes simplex virus
	infection. This gene and eight other interleukin 1 fam



	ily genes form a cytokine gene cluster on chromoso me 2. Two alternatively spliced transcript variants enc oding different isoforms have been found for this ge ne.
Applications:	WB, IHC, IF
Name of antibody:	IL36G
Immunogen:	Fusion protein of human IL36G
Full name:	interleukin 36, gamma (IL36G), transcript variant 1
Synonyms:	IL1E; IL1F9; IL1H1; IL-1F9; IL-1H1; IL1RP2; IL-1RP2
SwissProt:	Q9NZH8
IHC positive control:	human pancreas tissue and adenocarcinoma of huma n colon tissue
IHC Recommend dilution:	30-150
WB Predicted band size:	19 kDa
WB Positive control:	MCF7 cell lysate
WB Recommended dilution:	200-1000