

小鼠抗 KRT7(C-term)单克隆抗体

中文名称： 小鼠抗 KRT7(C-term)单克隆抗体

英文名称： Anti-KRT7(C-term) mouse monoclonal antibody

别名： keratin 7; K7; CK7; SCL; K2C7

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Mouse

抗原： KRT7(C-term)

反应种属： Human

标记物： Unconjugate

克隆类型： Mouse Monoclonal

技术规格

Background:

The protein encoded by this gene is a member of the keratin gene family. The type II cytokeratins consist of basic or neutral proteins which are arranged in pairs of heterotypic keratin chains coexpressed during differentiation of simple and stratified epithelial tissues. This type II cytokeratin is specifically expressed in the simple epithelia lining the cavities of the internal organs and in the gland ducts and blood vessels. The genes encoding the type II cytokeratins are clustered in a region of chromosome 12q12-q13. Alternative splicing may result in several transcript variants; however, not all variants have been fully described.

Applications:	WB, IF
Name of antibody:	KRT7(C-term)
Immunogen:	Fusion protein of human KRT7
Full name:	keratin 7
Synonyms:	K7; CK7; SCL; K2C7
SwissProt:	P08729
WB Predicted band size:	51 kDa
WB Positive control:	HepG2, T47D and Hela cell lysates
WB Recommended dilution:	1000-5000
IF positive control:	Hela cells
IF Recommend dilution:	50-150



