

小鼠抗 SKP2 单克隆抗体

中文名称: 小鼠抗 SKP2 单克隆抗体

英文名称: Anti-SKP2 mouse monoclonal antibody

别 名: S-phase kinase associated protein 2; p45; FBL1; FLB1; FBXL1; F-box protein Skp2

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Mouse

抗 原: SKP2

反应种属: Human

标 记 物: Unconjugate

克隆类型: mouse monoclonal

技术规格

Background:

This gene encodes a member of the F-box protein family which is characterized by an approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of u biquitin protein ligase complex called SCFs (SKP1-cullin-F-box), w hich function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3 classes: Fbws containing WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene belongs to the Fbls class; in addition to an F-box, this protein contains 10 tandem leucine-rich repeats. This protein is an essential element o



	f the cyclin A-CDK2 S-phase kinase. It specifically recognizes pho sphorylated cyclin-dependent kinase inhibitor 1B (CDKN1B, also r eferred to as p27 or KIP1) predominantly in S phase and interacts with S-phase kinase-associated protein 1 (SKP1 or p19). In addition, this gene is established as a protooncogene causally involved in the pathogenesis of lymphomas. Alternative splicing of this gene generates three transcript variants encoding different iso forms.
Applications:	ELISA, WB
Name of antibody:	SKP2
Immunogen:	Fusion protein of human SKP2
Full name:	S-phase kinase associated protein 2
Synonyms:	p45; FBL1; FLB1; FBXL1; F-box protein Skp2
SwissProt:	Q13309
WB Predicted band siz e:	48 kDa
WB Positive control:	HEK293 whole cell lysate
WB Recommended dilu tion:	1000-5000

