

## 兔抗 TRAF3IP2 多克隆抗体

中文名称：兔抗 TRAF3IP2 多克隆抗体

英文名称： Anti-TRAF3IP2 rabbit polyclonal antibody

别名： ACT1; CIKS; C6orf2; C6orf4; C6orf5; C6orf6; PSORS13

抗原： TRAF3IP2

储存： 冷冻（-20℃）

宿主： Rabbit

相关类别： 一抗

反应种属 Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

#### Background:

This gene encodes a protein involved in regulating responses to cytokines by members of the Rel/NF-kappaB transcription factor family. These factors play a central role in innate immunity in response to pathogens, inflammatory signals and stress. This gene product interacts with TRAF proteins (tumor necrosis factor receptor-associated factors) and either I-kappaB kinase or MAP kinase to activate either NF-kappaB or Jun kinase. Several alternative transcripts encoding different isoforms have been identified. Another transcript, which does not encode a protein and is transcribed in the opposite ori

	entation, has been identified. Overexpression of this transcript has been shown to reduce expression of at least one of the protein encoding transcripts, suggesting it has a regulatory role in the expression of this gene.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	TRAF3IP2
<b>Immunogen:</b>	Fusion protein of human TRAF3IP2
<b>Full name:</b>	TRAF3 interacting protein 2
<b>Synonyms :</b>	ACT1; CIKS; C6orf2; C6orf4; C6orf5; C6orf6; PSORS13
<b>SwissProt:</b>	O43734
<b>ELISA Recommended dilution:</b>	1000-2000
<b>IHC positive control:</b>	Human colon cancer and human liver cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	65 kDa
<b>WB Positive control:</b>	Jurkat cells
<b>WB Recommended dilution:</b>	200-1000



