

小鼠抗 STAT1 单克隆抗体

中文名称: 小鼠抗 STAT1 单克隆抗体

英文名称: Anti-STAT1 mouse monoclonal antibody

别 名: signal transducer and activator of transcription 1; CANDF7; IMD31A; IMD31B; IMD31C; ISGF-3; STAT91

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Mouse

抗 原: STAT1

反应种属: Human, Monkey

标 记 物: Unconjugate

克隆类型: Mouse Monoclonal

技术规格

Background:

Background:

STAT family members are phosphorylated by the receptor a ssociated kinases, and then form homo- or heterodimers th at translocate to the cell nucleus where they act as transcription activators. This protein can be activated by various ligured ands including interferon-alpha, interferon-gamma, EGF, PDG and IL6. This protein mediates the expression of a variety of genes, which is thought to be important for cell viability

The protein encoded by this gene is a member of the STAT protein family. In response to cytokines and growth factors,

in response to different cell stimuli and pathogens. Two alte



	rnatively spliced transcript variants encoding distinct isoform s have been described.
Applications:	WB, IP
Name of antibody:	STAT1
Immunogen:	Fusion protein of human STAT1
Full name:	signal transducer and activator of transcription 1
Synonyms:	CANDF7; IMD31A; IMD31B; IMD31C; ISGF-3; STAT91
SwissProt:	P42224
WB Predicted band size:	87 kDa
WB Positive control:	SW480, MCF7, A549, COS7 and Hela cell lysates
WB Recommended dilution:	1000-5000





