

## 兔抗 IFITM1 多克隆抗体

中文名称： 兔抗 IFITM1 多克隆抗体

英文名称： Anti-IFITM1 rabbit polyclonal antibody

别名： 9-27; CD225; IFI17; LEU13; DSPA2a

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： IFITM1

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： Unconjugate

### 技术规格

|                      |  |
|----------------------|--|
| <b>Background:</b>   | The IFITM family of proteins are transmembrane proteins so named because their expression is IFN-inducible. IFITM proteins have been found upregulated in human colorectal carcinomas. Both mouse IFITM1 (also known as CD225) and IFITM3 demonstrate expression on the cell surfaces of primordial germ cells in a developmentally-regulated manner. They presumably modulate cell adhesion and influence cell differentiation. IFITM1 activity is required for primordial germ cell transit, and IFITM1 acts as a repulsive molecule by repelling non-IFITM1-expressing primordial germ cells from the mesoderm into the endoderm. |
| <b>Applications:</b> | ELISA, WB, IHC   |

|                                    |  |
|------------------------------------|--|
| <b>Name of antibody:</b>           | IFITM1   |
| <b>Immunogen:</b>                  | Synthetic peptide of human IFITM1                |
| <b>Full name:</b>                  | interferon induced transmembrane protein 1       |
| <b>Synonyms :</b>                  | 9-27; CD225; IFI17; LEU13; DSPA2a                |
| <b>SwissProt:</b>                  | P13164   |
| <b>ELISA Recommended dilution:</b> | 5000-10000                                       |
| <b>IHC positive control:</b>       | Human colorectal cancer and human ovarian cancer |
| <b>IHC Recommend dilution:</b>     | 25-100   |
| <b>WB Predicted band size:</b>     | 14 kDa   |
| <b>WB Positive control:</b>        | Hela and NIH/3T3 cell                            |
| <b>WB Recommended dilution:</b>    | 500-2000   |





