

兔抗 LPPR5 多克隆抗体

中文名称: 兔抗 LPPR5 多克隆抗体

英文名称: Anti-LPPR5 rabbit polyclonal antibody

别名: PAP2, PRG5, PAP2D

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: PLPPR5

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| | |
|--------------------------|---|
| Background: | The protein encoded by this gene is a type 2 member of the phosphatidic acid phosphatase (PAP) family. All type 2 members of this protein family contain 6 transmembrane regions, and a consensus N-glycosylation site. PAPs convert phosphatidic acid to diacylglycerol, and function in de novo synthesis of glycerolipids as well as in receptor-activated signal transduction mediated by phospholipase D. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | PLPPR5 |
| Immunogen: | Synthetic peptide of human PLPPR5 |

| | |
|------------------------------------|------------------------------------|
| Full name: | phospholipid phosphatase related 5 |
| Synonyms: | PAP2; PRG5; LPPR5; PAP2D |
| SwissProt: | Q32ZL2 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control : | Human cervical cancer |
| IHC Recommended dilution: | 100-200 |
| WB Predicted band size: | 36 kDa |
| WB Positive control : | HepG2 cell lysate |
| WB Recommended dilution: | 1000-5000 |



