

兔抗 WIPI2 多克隆抗体

中文名称: 兔抗 WIPI2 多克隆抗体

英文名称: Anti-WIPI2 rabbit polyclonal antibody

别名: Atg21; ATG18B; CGI-50; WIPI-2

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: WIPI2

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	WD40 repeat proteins are key components of many essential biologic functions. They regulate the assembly of multiprotein complexes by presenting a beta-propeller platform for simultaneous and reversible protein-protein interactions. Members of the WIPI subfamily of WD40 repeat proteins, such as WIPI2, have a 7-bladed propeller structure and contain a conserved motif for interaction with phospholipids.
Applications:	ELISA, WB, IHC
Name of antibody:	WIPI2
Immunogen:	Synthetic peptide of human WIPI2
Full name:	WD repeat domain, phosphoinositide interacting 2

Synonyms:	Atg21; ATG18B; CGI-50; WIPI-2
SwissProt:	Q9Y4P8
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and human brain
IHC Recommend dilution:	25-100
WB Predicted band size:	49 kDa
WB Positive control:	Human heart tissue lysate
WB Recommended dilution:	200-1000





