

兔抗 IFITM2 多克隆抗体

- 中文名称：兔抗 IFITM2 多克隆抗体
- 英文名称：Anti-IFITM2 rabbit polyclonal antibody
- 别名：interferon induced transmembrane protein 2; 1-8D; DSPA2c
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：IFITM2
- 反应种属：Human
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	IFN-induced antiviral protein which inhibits the entry of viruses to the host cell cytoplasm, permitting endocytosis, but preventing subsequent viral fusion and release of viral contents into the cytosol. Active against multiple viruses, including influenza A virus, SARS coronavirus (SARS-CoV), Marburg virus (MARV), Ebola virus (EBOV), Dengue virus (DENV), West Nile virus (WNV), human immunodeficiency virus type 1 (HIV-1) and vesicular stomatitis virus (VSV). Can inhibit: influenza virus hemagglutinin protein-mediated viral entry, MARV and EBOV GP1,2-mediated viral entry, SARS-CoV S protein-mediated viral entry and VSV G protein-mediated viral entry. Induces cell cycle arrest and mediates apoptosis.
--------------------	--

	sis by caspase activation and in p53-independent manner.
Applications:	ELISA, IHC
Name of antibody:	IFITM2
Immunogen:	Fusion protein of human IFITM2
Full name:	interferon induced transmembrane protein 2
Synonyms:	1-8D; DSPA2c
SwissProt:	Q01629
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil and Human brain
IHC Recommend dilution:	30-150



