

## 兔抗 H3-3B 多克隆抗体

中文名称：兔抗 H3-3B 多克隆抗体

英文名称： Anti-H3-3B rabbit polyclonal antibody

别名： H3.3 histone B; H3.3B; H3F3B

抗原： H3-3B

储存： 冷冻（-20℃）

宿主： Rabbit

相关类别： 一抗

反应种属： Human, Mouse, Rat

标记物： Unconjugate


克隆类型： rabbit polyclonal



### 技术规格

**Background:**

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene contains introns and its mRNA is polyadenylated, unlike most histone genes. The protein encoded by this gene is a replication-independent histone that is a member of the

	histone H3 family. Pseudogenes of this gene have been identified on the X chromosome, and on chromosomes 5, 13 and 17. [provided by RefSeq, Oct 2015]
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	H3-3B
<b>Immunogen:</b>	Fusion protein of human H3-3B
<b>Full name:</b>	H3.3 histone B
<b>Synonyms:</b>	H3.3B; H3F3B
<b>SwissProt:</b>	P84243
<b>IHC positive control:</b>	Human esophagus cancer and Human thyroid cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	15 kDa
<b>WB Positive control:</b>	LO2, A549 and 231 cell lysates
<b>WB Recommended dilution:</b>	200-1000





**mlbio** 酶联生物  
Good elisakit producers