



兔抗 GTF3C2 多克隆抗体

- 中文名称: 兔抗 GTF3C2 多克隆抗体
- 英文名称: Anti-GTF3C2 rabbit polyclonal antibody
- 别名: general transcription factor IIIC subunit 2; TFIIC110; TFIIC-BETA
- 相关类别: 一抗
- 储存: 冷冻 (-20℃)
- 宿主: Rabbit
- 抗原: GTF3C2
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	Required for RNA polymerase III-mediated transcription. Component of TFIIC that initiates transcription complex assembly on tRNA and is required for transcription of 5S rRNA and other stable nuclear and cytoplasmic RNAs. May play a direct role in stabilizing interactions of TFIIC2 with TFIIC1.
Applications:	ELISA, IHC
Name of antibody:	GTF3C2
Immunogen:	Fusion protein of human GTF3C2
Full name:	general transcription factor IIIC subunit 2
Synonyms:	TFIIC110; TFIIC-BETA
SwissProt:	Q8WUA4

ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer and Human cervical cancer
IHC Recommend dilution:	40-200



mlbio 梅联生物
Good elisakit producers