

## 兔抗 LILRB2 多克隆抗体

- 中文名称：兔抗 LILRB2 多克隆抗体
- 英文名称：Anti-LILRB2 rabbit polyclonal antibody
- 别名：ILT4; LIR2; CD85D; ILT-4; LIR-2; MIR10; MIR-10
- 抗原：LILRB2
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 相关类别：一抗
- 反应种属：Human
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene is a member of the leukocyte immunoglobulin-like receptor (LIR) family, which is found in a gene cluster at chromosomal region 19q13.4. The encoded protein belongs to the subfamily B class of LIR receptors which contain two or four extracellular immunoglobulin domains, a transmembrane domain, and two to four cytoplasmic immunoreceptor tyrosine-based inhibitory motifs (ITIMs). The receptor is expressed on immune cells where it binds to MHC class I molecules on antigen-presenting cells and transduces a negative signal that inhibits stimulation of an immune response. It is thought to control inflammatory responses and cytotoxicity to help focus the immune response and limit autore
--------------------	--

	activity. Multiple transcript variants encoding different isoforms have been found for this gene.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	LILRB2
<b>Immunogen:</b>	Fusion protein of human LILRB2
<b>Full name:</b>	leukocyte immunoglobulin like receptor B2
<b>Synonyms:</b>	ILT4; LIR2; CD85D; ILT-4; LIR-2; MIR10; MIR-10
<b>SwissProt:</b>	Q8N423
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human liver cancer and Human lung cancer
<b>IHC Recommend dilution:</b>	50-200
<b>WB Predicted band size:</b>	65 kDa
<b>WB Positive control:</b>	Hela cell, Raji cell, HepG2 cell lysates
<b>WB Recommended dilution:</b>	500-2000



