

兔抗 SLC27A4 多克隆抗体

中文名称：兔抗 SLC27A4 多克隆抗体

英文名称：Anti-SLC27A4 rabbit polyclonal antibody

别名：IPS; FATP4; ACSVL4

抗原：SLC27A4

储存：冷冻（-20℃）

宿主：Rabbit

相关类别：一抗

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

This gene encodes a member of a family of fatty acid transport proteins, which are involved in translocation of long-chain fatty acids cross the plasma membrane. This protein is expressed at high levels on the apical side of mature enterocytes in the small intestine, and appears to be the principal fatty acid transporter in enterocytes. Clinical studies suggest this gene as a candidate gene for the insulin resistance syndrome. Mutations in this gene have been associated with ichthyosis prematurity syndrome.

Applications:	ELISA, WB, IHC
Name of antibody:	SLC27A4
Immunogen:	Fusion protein of human SLC27A4
Full name:	solute carrier family 27 (fatty acid transporter), member 4
Synonyms:	IPS; FATP4; ACSVL4
SwissProt:	Q6P1M0
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human brain and human esophagus cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	72 kDa
WB Positive control:	PC-3 , HeLa , 293T and HEPG2 cell lysates
WB Recommended dilution:	200-1000



