

兔抗 NDRG4 多克隆抗体

中文名称: 兔抗 NDRG4 多克隆抗体

英文名称: Anti-NDRG4 rabbit polyclonal antibody

别名: BDM1, SMAP8, SMAP-8

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: NDRG4

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| | |
|--------------------------|---|
| Background: | This gene is a member of the N-myc downregulated gene family which belongs to the alpha/beta hydrolase superfamily. The protein encoded by this gene is a cytoplasmic protein that is required for cell cycle progression and survival in primary astrocytes and may be involved in the regulation of mitogenic signalling in vascular smooth muscle cells. Alternative splicing results in multiple transcripts encoding different isoforms. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | NDRG4 |
| Immunogen: | Synthetic peptide of human NDRG4 |
| Full name: | NDRG family member 4 |

| | |
|------------------------------------|--|
| Synonyms: | BDM1; SMAP8; SMAP-8 |
| SwissProt: | Q9ULP0 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human liver cancer |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 38 kDa |
| WB Positive control: | RAW264.7 cell, Rat brain tissue and Mouse brain tissue lysates |
| WB Recommended dilution: | 500-2000 |



