

兔抗 NFATC2 多克隆抗体

中文名称：兔抗 NFATC2 多克隆抗体

英文名称：Anti-NFATC2 rabbit polyclonal antibody

别名：NFAT1, NFATP

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

克隆类型：rabbit polyclonal

抗原：NFATC2

反应种属：Human, Mouse

标记物：Unconjugate

技术规格

Background:	This gene is a member of the nuclear factor of activated T cells (NFAT) family. The product of this gene is a DNA-binding protein with a REL-homology region (RHR) and a n NFAT-homology region (NHR). This protein is present in the cytosol and only translocates to the nucleus upon T cell receptor (TCR) stimulation, where it becomes a member of the nuclear factors of activated T cells transcription complex. This complex plays a central role in inducing gene transcription during the immune response. Alternate transcriptional splice variants encoding different isoforms have been characterized.
Applications:	ELISA, WB

Name of antibody:	NFATC2
Immunogen:	Synthetic peptide of human NFATC2
Full name:	Nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 2
Synonyms :	NFAT1, NFATP
SwissProt:	Q13469
ELISA Recommended dilution:	1000-2000
WB Predicted band size:	98 kDa
WB Positive control:	Human fetal brain tissue
WB Recommended dilution:	200-1000

