

兔抗 SPTLC2 多克隆抗体

中文名称：兔抗 SPTLC2 多克隆抗体

英文名称：Anti-SPTLC2 rabbit polyclonal antibody

别名：serine palmitoyltransferase long chain base subunit 2; LCB2; SPT2; HSN1C; LCB2A; NSAN1C; hLCB2a

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：SPTLC2

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a long chain base subunit of serine palmitoyltransferase. Serine palmitoyltransferase, which consists of two different subunits, is the key enzyme in sphingolipid biosynthesis. It catalyzes the pyridoxal-5-prime-phosphate-dependent condensation of L-serine and palmitoyl-CoA to 3-oxosphinganine. Mutations in this gene were identified in patients with hereditary sensory neuropathy type I.
Applications:	ELISA, WB, IHC
Name of antibody:	SPTLC2
Immunogen:	Fusion protein of human SPTLC2

Full name:	serine palmitoyltransferase long chain base subunit 2
Synonyms:	LCB2; SPT2; HSN1C; LCB2A; NSAN1C; hLCB2a
SwissProt:	O15270
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and Human gastric cancer
IHC Recommend dilution:	500-2000



