

## 小鼠抗 KRT7 单克隆抗体

中文名称: 小鼠抗 KRT7 单克隆抗体

英文名称: Anti-KRT7 mouse monoclonal antibody

别 名: CK7; K2C7; K7; SCL

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Mouse

抗 原: KRT7

反应种属: Human

标 记 物: Unconjugate

克隆类型: mouse monoclonal

## 技术规格

**Background:** 

The protein encoded by this gene is a member of the keratin gene family. The type II cytokeratins consist of basic or neutral proteins which are arranged in pairs of heterotypic keratin chains coexpressed during differentiation of simple and stratified epithelial tissues. This type II cytokeratin is specifically expressed in the simple epithelia lining the cavities of the internal organs and in the gland ducts and blood vessels. The genes encoding the type II cytokeratins are clustered in a region of chromosome 12q12-q13. Alternative splicing may result in several transcript variants; however, not all variants have been fully described. [provided]



	by RefSeq, Jul 2008].
Applications:	WB, IHC, FC
Name of antibody:	KRT7
Immunogen:	Fusion protein of human KRT7
Full name:	keratin 7, type II (KRT7)
Synonyms:	CK7; K2C7; K7; SCL
SwissProt:	P08729
IHC positive control:	human kidney tissue and carcinoma of human lung ti
IHC Recommend dilution:	30-150
WB Predicted band size:	51 kDa
WB Positive control:	A549 cell lysate
WB Recommended dilution:	500-2000







