

## 兔抗 PMEPA1 多克隆抗体

中文名称：抗 PMEPA1 多克隆抗体

英文名称： Anti-PMEPA1 rabbit polyclonal antibody

别名： STAG1; TMEPAI

相关类别： 一抗

储存： 冷冻（-20℃） 避光

抗原： PMEPA1

宿主： Rabbit

反应种属： Human

标记物： Unconjugate

克隆类型： Unconjugate

### 技术规格

<b>Background:</b>	This gene encodes a transmembrane protein that contains a Smad interacting motif (SIM). Expression of this gene is induced by androgens and transforming growth factor beta, and the encoded protein suppresses the androgen receptor and transforming growth factor beta signaling pathways through interactions with Smad proteins. Overexpression of this gene may play a role in multiple types of cancer. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene.
<b>Applications:</b>	WB, IHC, IF
<b>Name of antibody:</b>	PMEPA1

<b>Immunogen:</b>	Synthesized peptide derived from internal of human TMEPA.
<b>Full name:</b>	prostate transmembrane protein, androgen induced 1
<b>Synonyms :</b>	STAG1; TMEPAI
<b>SwissProt:</b>	Q969W9
<b>IHC positive control:</b>	Human prostate tissue
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	32 kDa
<b>WB Positive control:</b>	HT-29 cells lysate
<b>WB Recommended dilution:</b>	500-3000
<b>IF positive control:</b>	Huvec cells
<b>IF Recommend dilution:</b>	100-500





