

## 兔抗 ALDH2 多克隆抗体

中文名称:	兔抗 ALDH2 多克隆抗体
英文名称:	Anti-ALDH2 rabbit polyclonal antibody
别名:	ALDM; ALDHI; ALDH-E2
抗原:	ALDH2
储存:	冷冻 (-20℃)
宿主:	Rabbit
反应种属:	Human, Mouse, Rat
相关类别:	一抗
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

### 技术规格

<b>Background:</b>	This protein belongs to the aldehyde dehydrogenase family of proteins. Aldehyde dehydrogenase is the second enzyme of the major oxidative pathway of alcohol metabolism. Two major liver isoforms of aldehyde dehydrogenase, cytosolic and mitochondrial, can be distinguished by their electrophoretic mobilities, kinetic properties, and subcellular localizations. Most Caucasians have two major isozymes, while approximately 50% of Orientals have the cytosolic isozyme but not the mitochondrial isozyme.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	ALDH2
<b>Immunogen:</b>	Synthetic peptide of human ALDH2
<b>Full name:</b>	aldehyde dehydrogenase 2 family (mitochondrial)
<b>Synonyms :</b>	ALDM; ALDHI; ALDH-E2

SwissProt:	P05091
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human breast cancer
IHC Recommend dilution:	20-100
WB Predicted band size:	56 kDa
WB Positive control:	Human lung cancer tissue
WB Recommended dilution:	500-2000



