

## 兔抗 ASIC1 多克隆抗体

中文名称: 兔抗 ASIC1 多克隆抗体

英文名称: Anti-ASIC1 rabbit polyclonal antibody

别 名: ASIC; ACCN2; BNaC2

抗 原: ASIC1

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse, Rat

相关类别: 一抗

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	This gene encodes a member of the acid-sensing ion channel (ASIC) family of proteins, which are part of the degenerin/epithelial sodium channel (DEG/ENaC) superfamily. Members of the ASIC family are sensitive to amiloride and function in neurotransmission. The encoded proteins function in learning, pain transduction, to uch sensation, and development of memory and fear. Alternatively spliced transcript variants have been described.
Applications:	ELISA, WB, IHC
Name of antibody:	ASIC1
Immunogen:	Synthetic peptide of human ASIC1
Full name:	acid sensing ion channel subunit 1
Synonyms:	ASIC; ACCN2; BNaC2



SwissProt:	P78348
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	25-50
WB Predicted band size:	60 kDa
WB Positive control:	Mouse heart tissue lysate
WB Recommended dilution:	200-1000





