

兔抗 ATP6V1E2 多克隆抗体

中文名称：兔抗 ATP6V1E2 多克隆抗体

英文名称：Anti-ATP6V1E2 rabbit polyclonal antibody

别名：VMA4; ATP6E1; ATP6EL2; ATP6V1EL2

相关类别：一抗

抗原：ATP6V1E2

储存：冷冻 (-20℃)

宿主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Subunit of the peripheral V1 complex of vacuolar ATPase essential for assembly or catalytic function. V-ATPase is responsible for acidifying a variety of intracellular compartments in eukaryotic cells. This isoform is essential for energy coupling involved in acidification of acrosome.
Applications:	ELISA, WB, IHC
Name of antibody:	ATP6V1E2
Immunogen:	Full length fusion protein
Full name:	ATPase, H ⁺ transporting, lysosomal 31kDa, V1 subunit E2
Synonyms :	VMA4; ATP6E1; ATP6EL2; ATP6V1EL2
SwissProt:	Q96A05
ELISA Recommended dilution:	5000-10000

IHC positive control:	Human esophagus cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	26 kDa
WB Positive control:	Mouse brain tissue and TM4 cell
WB Recommended dilution:	200-1000



