

## 兔抗 CCL7 多克隆抗体

中文名称: 兔抗 CCL7 多克隆抗体

英文名称: Anti-CCL7 rabbit polyclonal antibody

别名: FIC; MARC; MCP3; NC28; MCP-3; SCYA6; SCYA7

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: CCL7

相关类别: 一抗

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene encodes monocyte chemotactic protein 3, a secreted chemokine which attracts macrophages during inflammation and metastasis. It is a member of the C-C subfamily of chemokines which are characterized by having two adjacent cysteine residues. The protein is an in vivo substrate of matrix metalloproteinase 2, an enzyme which degrades components of the extracellular matrix. This gene is part of a cluster of C-C chemokine family members on chromosome 17q.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	CCL7

<b>Immunogen:</b>	Synthetic peptide of human CCL7
<b>Full name:</b>	chemokine (C-C motif) ligand 7
<b>Synonyms :</b>	FIC; MARC; MCP3; NC28; MCP-3; SCYA6; SCYA7
<b>SwissProt:</b>	P80098
<b>ELISA Recommended dilution:</b>	2000-5000
<b>IHC positive control:</b>	Human lung cancer and Human thyroid cancer
<b>IHC Recommend dilution:</b>	25-100

