

兔抗 CORO2A 多克隆抗体

- 中文名称：兔抗 CORO2A 多克隆抗体
- 英文名称：Anti-CORO2A rabbit polyclonal antibody
- 别名：coronin 2A IR10; WDR2; CLIPINB
- 储存：冷冻 (-20℃)
- 抗原：CORO2A
- 宿主：Rabbit
- 反应种属：Human
- 相关类别：一抗
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:

This gene encodes a member of the WD repeat protein family. WD repeats are minimally conserved regions of approximately 40 amino acids typically bracketed by gly-his and trp-asp (GH-WD), which may facilitate formation of heterotrimeric or multiprotein complexes. Members of this family are involved in a variety of cellular processes, including cell cycle progression, signal transduction, apoptosis, and gene regulation. This protein contains 5 WD repeats, and has a structural similarity with actin-binding proteins: the D. discoideum coronin and the human p57 protein, suggesting that this protein may also be an actin-binding protein that regulates cell motility. Alternative splicing of thi

	s gene generates 2 transcript variants.
Applications:	ELISA, IHC
Name of antibody:	CORO2A
Immunogen:	Fusion protein of human CORO2A
Full name:	coronin 2A
Synonyms:	IR10; WDR2; CLIPINB
SwissProt:	Q92828
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human lung cancer and Human liver cancer
IHC Recommend dilution:	20-100



