

兔抗 DLK1 多克隆抗体

- 中文名称: 兔抗 DLK1 多克隆抗体
- 英文名称: Anti-DLK1 rabbit polyclonal antibody
- 别 名: DLK; FA1; ZOG; pG2; DLK-1; PREF1; Delta1; Pref-1
- 相关类别: 一抗
- 抗 原: DLK1
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

ying an active paternal allele express the phenotype,	Background:	This gene encodes a transmembrane protein that con tains multiple epidermal growth factor repeats that fu nctions as a regulator of cell growth. The encoded pr otein is involved in the differentiation of several cell t ypes including adipocytes. This gene is located in a r egion of chromosome 14 frequently showing unparen tal disomy, and is imprinted and expressed from the paternal allele. A single nucleotide variant in this gen e is associated with child and adolescent obesity and shows polar overdominance, where heterozygotes carr
		shows polar overdominance, where heterozygotes carr ying an active paternal allele express the phenotype,



Applications:	ELISA, WB, IHC
Name of antibody:	DLK1
Immunogen:	Fusion protein of human DLK1
Full name:	delta like non-canonical Notch ligand 1
Synonyms:	DLK; FA1; ZOG; pG2; DLK-1; PREF1; Delta1; Pref-1
SwissProt:	P80370
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human colorectal cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	41 kDa
WB Positive control:	HEPG2 and 231 cell lysates
WB Recommended dilution:	500-2000





