

兔抗 DNAI2 多克隆抗体

中文名称: 兔抗 DNAI2 多克隆抗体

英文名称: Anti-DNAI2 rabbit polyclonal antibody

别名: dynein axonemal intermediate chain 2; DIC2; CILD9

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: DNAI2

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene belongs to the dynein intermediate chain family, and is part of the dynein complex of respiratory cilia and sperm flagella. Mutations in this gene are associated with primary ciliary dyskinesia type 9. Alternatively spliced transcript variants encoding different isoforms have been noted for this gene. [provided by RefSeq, Mar 2010]
Applications:	ELISA, WB, IHC
Name of antibody:	DNAI2
Immunogen:	Fusion protein of human DNAI2
Full name:	dynein axonemal intermediate chain 2
Synonyms:	DIC2; CILD9

SwissProt:	Q9GZS0
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human ovarian cancer and Human colorectal cancer
IHC Recommend dilution:	100-200
WB Predicted band size:	69 kDa
WB Positive control:	A549 cell, Human cerebella tissue, LOVO and Jurkat cell lysates
WB Recommended dilution:	500-2000





